
HP LaserJet MFP M72630dn

Count on legendary HP performance and reliability at an affordable price with robust paper handling options.









HP Quality, Affordable Price

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.
- Print premium, professional-quality documents with sharp text and crisp graphics.
- Get consistent, professional-quality and performance you count on with Original HP toner cartridges and drums.



Solid Productivity

- Send scans to email or your PC, right from the MFP. Capture and send for simple filing and sharing.
- Load up to 100 pages into the auto document feeder. Optional inner finishing can increase office productivity.



Solid Productivity

- Easy-to-use 7" intuitive touchscreen color graphic display helps keep business moving
- Print and share documents from mobile devices via Airprint™, Mopria® and Google Cloud Print™.
- Identify new devices and gain insight into printing with HP Web Jetadmin remote discovery and monitoring.



- Help ensure important documents and confidential information stay secure.
- Help regulate printing costs by assigning which users have authorized permissions.
- Protect data and network from unauthorized access with encryption, overwriting, industry standard security.



Product walkaround



HP LaserJet MFP M72630dn

- Easy-access USB port¹
 500-sheet output bin
 Ethernet 10/100/1000Base-TX, USB 2.0 device port; 2 Hi-speed USB 2.0 host ports, optional wireless networking²
 Built-in automatic two-sided printing

- 4. Built-in automatic two-sided printing
 5. 520-sheet tray 2 supports media up to A4
 6. 520-sheet tray 3 supports media up to A3
 7. 100-sheet reversing ADF
 8. 17.8 cm (7.0 inch) colour touchscreen
 9. Flatbed scanner handles sheets up to 297 x 432 mm
 10. Right door (access to the print path)
 11. 100 sheet multipurpose tray 1 supports media up to
- 11. 100-sheet multipurpose tray 1 supports media up to A3 12. Front door access to toner cartridges

Series at a glance





Model	HP LaserJet MFP M72625dn	HP LaserJet MFP M72630dn
Product number	2 Z N49A	2 Z N50A
Colour printing	Not available	Not available
Print speed (black) ³	Up to 25 ppm	Up to 30 ppm
First page out time (from ready) ⁴	Up to 8.5 seconds	Up to 8.0 seconds
Input capacity (standard/max ⁵)	Up to 1,140/2,180 sheets	Up to 1,140/2,180 sheets
Output capacity	Up to 500 sheets	Up to 500 sheets
Built-in Ethernet; optional wireless networking ²	Yes	Yes
100-sheet reversing ADF	Yes	Yes
Automatic two-sided printing	Yes	Yes

Technical specifications

Functions	Print, Copy, Scan (fax and wireless optional)		
Print	A. A. Sandari (A. A. Sandari)	Number 2ZN50A	Description HP LaserJe
Duplex print options	Automatic (standard) Black (A4, normal) Up to 30 ppm; Black (A4, duplex) Up to 20 ipm	ZZINJUA	TIF LUSEIJE
Print speed First page out	Black (A4, ready) As fast as 8 sec; Black (A4, sleep) As fast as 31 sec	Accessori	
Print resolution	Black (best) Up to 1200 x 1200 dpi (with reduced speed); Black (normal) Up to 600 x 600 dpi	Accessori	
Print technology	Laser	Number	Descriptio
Print cartridges number	1 (black)		
Standard print languages	PCL6, Postscript 3, PDF (v1.7)	Y1G00A	HP Laser.
Printer management	HP Web Jetadmin - discover and monitor	Y1F97A Y1G02A	HP Laser. HP Laser.
Scan		Y1G03A	HP Laser
Scan technology	Type Flatbed, Reverse ADF, Mirror Moving Type(MMT) Scanner with Color CCD; Technology Color CCD	Y1G13A	HP Laser
Scan speed	Normal (A4) Up to 45 ipm (b&w), up to 45 ipm (color)	Y1G15A	HP Laser
Scan resolution	Enhanced Up to 4800 x 4800 dpi with reduced speed; Hardware Up to 600 x 600 dpi; Optical Up to 600 x 600 dpi	Y1G17A	HP Laser
Scan size	ADF 297 x 437 mm Flatbed 297 x 437 mm	Y1G23A	HP Laser
Scan input modes	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory (with optional HDD) ^[2] ; Save to PC; Scan software: user application via TWAIN or WIA	SS411B	CLX-FAX
Сору	opposition to this to this	SS411E	CLX-FAX
Copy speed	Black (A4, normal) Up to 30 cpm	SS411F	CLX-FAX
First copy out	Black (A4) As fast as 5.5 sec	SS441B	SCX-HDK
r ii st copy out	Black (A4, sleep) As fast as 30 sec	SS441C	SCX-HDK
Copy resolution	Black (text and graphics) Up to 600 × 600 dpi; Color (text and graphics) Up to 600 × 600 dpi	SS441D	SCX-HDK
Max. number of copies	Up to 9999 copies	SS474B	SL-NWE
Copier resize	25 to 400%	SS474E	SL-NWE(
Copier settings	ID Copy, N-Up, Booklet, Auto Fit, Book Copy, Watermark, Stamp, Job Build, Edge Erase, Image Shift, Image Adjustment, Background Adjustment, Preset Programs	SS474F SS421B	SL-NWEO CLX-KIT1
Fax		SS4210	CLX-KIT1
Fax speed	Black (best) Up to 600 x 600 dpi; Black (standard) 203 x 98 dpi; Black and white (fine) 203 x 196 dpi; 256 levels of gray; Black and white (superfine) 300 x 300 dpi; 256 levels of gray; Black photo grayscale 203 x 196 dpi (halftone)	334210	CLX-KII I
Fax resolution Fax features	Up to 600 x 600 dpi Auto fax reduction supported Yes; Auto-redialing Yes; Fax delayed sending Yes; Distinctive ring detection supported Yes; Fax forwarding supported Yes; Junk barrier supported Yes; Maximum speed dialing numbers Up to 500; PC interface supported Yes; Fax polling supported No		nd exit access the Job sepa
Fax smart software features	Auto Redial; Caller ID; Secure Reception; Fax forwarding to Fax/Email/SMB/FTP; Job Build	Supplies a	nd Mainter
Connectivity			
Standard connectivity	Hi-Speed USB 2.0; Host USB; built in Gigabit Ethernet 10/100/1000 Base-TX network port	Number	Descriptio
Mobile printing capability	Apple AirPrint, Mopria-certified, Google Cloud Print, PrinterOn Cloud Print	W9006MI	C HP W900
Wireless capability	Optional, enabled Via Wireless LAN/NFC kit; Yes, wireless direct, IEEE 802.11 b/g/n		C HP W900
Network Capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)		: HP Black
Memory	Standard 1.5 GB; Maximum 1.5 GB	W9006M	HP Laser
Processor speed	1 GHz (dual core)	Z9M06A	HP Laser
Warm-up time	25 sec	Z9M07A	HP Laser
Duty cycle (monthly)	Up to 80,000 pages (per month); Recommended monthly page volume: Up to 45,000 pages (per month)	Z7Y83A	HP Laser
Paper handling		Z7Y88A	HP Laser
Input	1140 sheets: 100-sheet multi-purpose tray, 2 x 520-sheet input tray STD; Optional 2 x 520 Dual Cassette Feeder	Z9M08A	HP Laser
Output	500 sheet face-down output bin	Z9M05A	HP Laser
Media type	Paper (Plain, HP EccEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, Mid-Weight 96-110g, Heavy 111-130g, HP Matte 150g, Extra Heavy 131-175g, HP Matte 200g, Cardstock 176-220g, Labels, Letterhead, Envelope, Preprinted, Prepunched, Colored)	3KR68A 3KR69A	HP ADF S
Media weight	Tray 1: 60 to 175 g/m²; Tray 2, 3: 60 to 220 g/m²	ACONAC	TIF ADI F
Media sizes custom	Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 354 mm; Tray 3: 148 x 210 to 297 x 432 mm		
Dimensions (W x D x H)	566 x 620 x 820 mm	HP Care P	acks
Weight	59.5 kg		
What's in the box	Laser Jet MFP M7.2630dn Printer; Power Cable; Hardware Install Guide; Software CD (Includes User Guide)	Number	Description
Warranty features	90 day parts only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about	1101/1145	HP 1 year
,	HP award winning service and support options in your region.	U9VU4E	Service fo
Systems		U9VV1E	HP 1 year
Compatible operating systems	Windows XP (32/64 bit), Vista (32/64 bit), 2003 Server (32/64 bit), 2008 Server (32/64 bit), Win7 (32/64 bit), 2008 Server R2 (64 bit), Win8 (32/64 bit), Win8.1		(Managed
	(32/64 bit), 2012 Server (64 bit), 2012 Server (264 bit) / Mac 05 10.6+ 10.10 / Linux Red Hat Enterprise Linux 5, 6, 7 / Fedora 13, 14, 15, 16, 17, 18, 19, 20, 21 / openSUSE 11.3, 11.4, 12.1, 12.2, 12.3, 13.1, 13.2 / Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10 / SUSE Linux Enterprise Desktop 11, 12 / Oebian 6, 7 / Mint 13, 14, 15, 16, 17	U9VV2E	HP 3 year (Managed
Minimum system requirements	PC Windows XP Service Pack 3 and Windows XP SerServer 2003: Intel Pentium III 1 GHz (Pentium IV 2 GHz), RAM: 512 MB (1 GB), Free HDD Space: 1.5 GB; Windows	U9VV3E	HP 4 year
	XP SerServer 2008: Intel Pentium III 1 GHz (Pentium IV 2 GHz), RAM: 512 MB (2 GB), Free HDD Space: 10 GB; Windows Vista, Intel Pentium IV 3 GHz, RAM: 512 MB (1 GB), Free HDD Space: 15 GB; Windows 7: Intel Pentium IV 1 GHz 32-bit or 64-bit processor or higher, RAM: 1 GB (2 GB), Free HDD Space: 16 GB; Windows 7: Intel Pentium IV 1 GHz 32-bit or 64-bit processor or higher, RAM: 1 GB (2 GB), Free HDD Space: 16 GB; Windows 7: Intel Pentium IV 1 GHz 32-bit or 64-bit processor or higher, RAM: 1 GB (2 GB), Free HDD Space: 16 GB; Windows Vista III GHZ (1 GHZ) (HOWAE	(Managed
	R2: Intel Pentium IV 1.4 GHz (x64) processors (2 GHz or faster), RAM: 512 MB (2 GB), Free HDD Space: 10 GB; Windows 8, Windows 8.1, Windows 10, Windows Server	U9VV4E	HP 5 year (Managed
	2016: Intel Pentium IV 1 GHz 32-bit or 64-bit processor or higher, RAM: 2 GB (2 GB), Free HDD Space: 20 GB; Windows Server 2012, Windows Server 2012 R2: Intel Pentium IV 1.4 GHz (x64) processors (2 GHz or faster), RAM: 512 MB (2 GB), Free HDD Space: 32 GB	U9VV9PE	
	Pentium IV 1.4 GHZ (X64) processor's IZ GHZ or faster), KANI: 512 MB IZ GBJ, Free HUD 5pace: 32 GB Mac (PU): Intel® processor's (RAM: 1GB (2 GB); Free HDD 5pace: 1GB; Operating system: Mac OS X 10.6. (PU): Intel® processor's; RAM: 1G (2 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (2 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® processor's; RAM: 1GB (3 GB); Free HDD 5pace: 4 GB; Mac (PU): Intel® PUD 5pace:	OJVVJFL	M726xx N
	Operating system: Mac OS X 10.7-10.10	U9VW0PE	HP 2 year
Fonts and Typefaces	PCL: 95 Scalable Fonts (Include OCR-A / OCR-B); 1 Bitmap. PS3: 136 Scalable Fonts		M726xx M
Control panel	4 LED Lights (Power/Wakeup, Interrupt, Status, ECO); 24 Buttons (Power/Wakeup, Interrupt, Stop, Start, Job Status, Counter, Eco, Clear, Redial/Pause, Logout/ID, On Hook Dial, Reset, 12 Numeric Keypad (0-9, *, #)		
Display	7 in color touchscreen panel (800 x 480 - WVGA)	_	
Power	Power supply type Internal (Built-in) power supply; Power supply required Input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%);		our investme
	Power consumption: 590 watts (printing), 590 watts (copying), 100 watts (read mode), 1.5 watts (sleep)		engineers re ails on HP Ca
Software included	HP LJ Network PC Fax, HP MFP Scan, HPMFP Scanto PC Setup, HP OCR Software, HP Laser Jet Printer Software Uninstaller	more deti	alla Offitir Co
Acoustics	Acoustic power emissions: 6.8 B(A) (printing mono simplex, A4 at 30 ppm); Acoustic power emissions (ready) inaudible; Acoustic pressure emissions bystander (active, printing) 51 dB(A) (printing mono simplex, A4 at 30 ppm); Acoustic pressure emissions bystander (ready) 30 dB(A)		
Environmental ranges	Operating temperature range 15 to 30°C; Recommended operating temperature 15 to 30°C; Non-operating humidity range 10 to 80% RH; Operating humidity range 20 to 80% RH; Recommended Operating humidity range 20 to 80% RH;	HP Inc. o	ffices
Security management	Embedded Web Server: password protection, configurable login failure policy, configurable auto logout, secure browsing via SSL/TLS; Security Management: IP and Mac Filtering: Security protocol: 802.1x (EAP-MD5, EAP-MSCHAPv2, PEAP, TLS), IPSec, SNMPv3, User authentication: LDAP, SMB, Kerberos	Australia	
Safety approvals and	IEC 60950-1:2005 +A1:2009 +A2:2013 (International), EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU), IEC 60825-1:2014, EN60825-1:2014	China Hong Kor)) 3) gr
requirements	(Class 1 Laser/LED Device), Low Voltage Directive 2014/35/EU with CE Marking (Europe) GB4943.1-2011; other safety approvals as required by individual countries	India	(8
Supported network protocols	TCP/IPv4; IPv6; DHCP; BOOTP; AutoIP; DNS; DDNS; WINS; Standard TCP/IP; LPR/LPD; IPP; ThinPrint; Google Cloud Print; AirPrint; WSD print; FTP print; HTTP; SNMP(V1/2c/3); Telnet; SLP; Bonjour; UPnP(SSDP); WSD Discovery; SMTP; FTP; LDAP; SMB; Kerberos	Indonesia	a (6
prococots	т	Korea	(0











Ordering Information

ion Jet MFP M72630dn

Description
HP LaserJet Inner Finisher
HP LaserJet Dual Cassette Workgroup Feeder
HP LaserJet Inner Finisher Hole 2/3 Punch
HP LaserJet Inner Finisher Hole 2/4 Punch
HP LaserJet Inner Staples
HP LaserJet Workgroup Job Separator
HP LaserJet Printer Cabinet
HP LaserJet Second Exit Accessory
CLX-FAX160 Fax Expansion Kit
CLX-FAX160 Fax Expansion Kit
CLX-FAX160 Fax Expansion Kit
SCX-HDK471 Internal 320 GB Hard Drive
SCX-HDK471 Internal 320 GB Hard Drive
SCX-HDK471 Internal 320 GB Hard Drive
SL-NWE001X Wireless/NFC Adapter
SL-NWE001X Wireless/NFC Adapter
SL-NWE001X Wireless/NFC Adapter
CLX-KIT10F Foreign Interface Harness
CLX-KIT10F Foreign Interface Harness

essory is required when using either the Inner parator.

enance Kits

O006MC Black Managed LaserJet Imaging Drum
006MC Black Managed LaserJet Toner Collection Unit
ck Contract LaserJet Toner Cartridge (33,000 ISO yield)
erJet Black Imaging Drum Unit (200,000
erJet 110V Fuser Assembly
erJet 220V Fuser Assembly
erJet E7 Trays 2-x Rollers
erJet MP Roller
erJet Transfer Roller
erJet Transfer Roller

erJet Black Developer Unit Separation Pad Pick Roller Assembly

Number	Description
U9VU4E	HP 1 year Next Business Day w/Defective Media Retention Service for LaserJet M726xx MFP
U9VV1E	HP 1 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)
U9VV2E	HP 3 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)
U9VV3E	HP 4 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)
U9VV4E	HP 5 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)
U9VV9PE	HP 1 year Post Warranty Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)
U9VW0PE	HP 2 year Post Warranty Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)

ment with HP Care Pack. Let HP resolve your technical issues. For Care Pack, go to hp.com/go/cpc

Australia	(613) 8833 5000	hp.com.au
China	(010) 6564 3888	hp.com.cn
Hong Kong	(852) 3077 2688	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.co.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 3789 9900	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries, please fax your queries to(65) 6275 6707 Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka

Supported paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

For more solutions information, please visit hp.com/go/gsc

Footnotes

1 Not all HP Web Jetadmin features are supported on the HP LaserJet MFP M72625dn and HP LaserJet MFP M72630dn. HP Web Jetadmin is available for download at no additional charge at

² Exact speed varies depending on the system configuration, software application, driver document complexity and time in sleen

³ Purchase of optional paper tray required to reach maximum input capacity. Installation from HP Authorized service provider only.

Technical specifications disclaimers


Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

²Purchase of optional HDD required for Saving to Device Memory.

Product walkaround disclaimers

- 1 Easy-access USB port for printing without a computer and upgrading the firmware.
 2 The HP LaserJet MFP M72625dn and M72630dn can both add wireless networking with selection of the optional Wireless LAN/NFC kit. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.
 3 Measured using ISO/IEC 24734 and excludes the first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. The HP LaserJet MFP M72625dn prints up to 25 ppm (black), and the M72630dn prints up to 30 ppm (black).
 4 Measured using ISO/IEC 17629. Exact speed for first page out varies depending on the system configuration, software application, driver, and document complexity. Learn more at hp.com/go/printerclaims.
 5 Purchase of optional paper tray required to reach maximum input capacity. Installation from HP Authorised service provider only.

To learn more, visit hp.com



ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc. registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

